

AD-A107 145

PHOSPHOPROTEIN REGULATION OF SYNAPTIC REACTIVITY:  
ENHANCEMENT OF A MOLECU. (U) NORTHWESTERN UNIV EVANSTON  
IL COLL OF ARTS AND SCIENCES A ROTTENBERG 15 AUG 87


1/1

UNCLASSIFIED AFOSR-TR-87-1499 AFOSR-87-0042

F/G 6/1

NL





<b>ONE FILE WITH REPORT DOCUMENTATION PAGE</b> <b>AD-A187 145 TIC</b>				<b>2</b>													
<b>2b. DECLASSIFICATION/DOWNGRADING SCHEDULE</b> <b>S ELECTED</b> <b>OCT 29 1987</b>				<b>1b. RESTRICTIVE MARKINGS</b>													
<b>4. PERFORMING ORGANIZATION REPORT NUMBER(S)</b> <b>CD</b>				<b>5. MONITORING ORGANIZATION REPORT NUMBER(S)</b> <b>AFOSR-TR- 87 - 1499</b>													
<b>6a. NAME OF PERFORMING ORGANIZATION</b> Northwestern University College of Arts and Sciences		<b>6b. OFFICE SYMBOL</b> <i>(If applicable)</i>		<b>7a. NAME OF MONITORING ORGANIZATION</b> Air Force Office of Scientific Research/NL													
<b>6c. ADDRESS (City, State and ZIP Code)</b> 633 Clark St. Evanston, Illinois 60201		<b>7b. ADDRESS (City, State and ZIP Code)</b> Building 410 Bolling AFB, DC 20332-6448															
<b>8a. NAME OF FUNDING/SPONSORING ORGANIZATION</b> AFOSR		<b>8b. OFFICE SYMBOL</b> <i>(If applicable)</i> NL		<b>9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER</b>													
<b>8c. ADDRESS (City, State and ZIP Code)</b> Building 410 Bolling AFB DC 20332-6448		<b>10. SOURCE OF FUNDING NOS.</b> <table border="1"> <tr> <th>PROGRAM ELEMENT NO.</th> <th>PROJECT NO.</th> <th>TASK NO.</th> <th>WORK UNIT NO.</th> </tr> <tr> <td>61102F</td> <td>2317</td> <td>02.</td> <td></td> </tr> </table>				PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT NO.	61102F	2317	02.					
PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT NO.														
61102F	2317	02.															
<b>11. TITLE (Include Security Classification)</b> Phosphoprotein Regulation of Synaptic Reactivity: Enhancement of a Molecular Gating Mechanism																	
<b>12. PERSONAL AUTHOR(S)</b> Aryeh Routtenberg																	
<b>13a. TYPE OF REPORT</b> Annual Technical Progress		<b>13b. TIME COVERED</b> FROM 10/1/86 TO 9/30/87		<b>14. DATE OF REPORT (Yr., Mo., Day)</b> August 15, 1987													
<b>15. PAGE COUNT</b>																	
<b>16. SUPPLEMENTARY NOTATION</b>																	
<b>17. COSATI CODES</b> <table border="1"> <tr> <th>FIELD</th> <th>GROUP</th> <th>SUB GR.</th> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>			FIELD	GROUP	SUB GR.										<b>18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)</b> Synapse; plasticity; reactivity; phosphorylation; protein kinase C; protein Fl; fatty acids		
FIELD	GROUP	SUB GR.															
<b>19. ABSTRACT (Continue on reverse if necessary and identify by block number)</b> <p>This research is focussed on the role of molecular switches in brain which regulate synaptic reactivity. We have identified a 47,000 mol wt phosphoprotein and its kinase (c) which play a pivotal role in this regulation. We have enhanced communication among nerve cells studied electrophysiologically by activation of this kinase. In the proposed research we specifically manipulate this brain phosphoprotein with novel kinase activating agents. In a new initiative, both the kinase and the Fl substrate will be studied with the goal of enhancing synaptic reactivity by regulating the activity of proteins that play a pivotal role in this process.</p>																	
<b>20. DISTRIBUTION/AVAILABILITY OF ABSTRACT</b> UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT <input checked="" type="checkbox"/> DTIC USERS <input type="checkbox"/>			<b>21. ABSTRACT SECURITY CLASSIFICATION</b> UNCLASSIFIED														
<b>22a. NAME OF RESPONSIBLE INDIVIDUAL</b> Dr. William O. Berry			<b>22b. TELEPHONE NUMBER</b> <i>(Include Area Code)</i> (202) 767-5021		<b>22c. OFFICE SYMBOL</b> NL												

Routtenberg

Annual Technical Report

AFOSR87-0042

## Annual Technical/Scientific Report

1. Project Period The project period includes October 1, 1986 to September 30, 1987. The present report is being filed in August, 1987.

## 2. Summary

The regulation of synaptic reactivity by protein kinase C and its substrate proteins has been studied using the long-term potentiation paradigm (LTP). In the past year we have studied the effects of protein kinase C activators and inhibitors on durability of synaptic reactivity. The main conclusion to be drawn is that protein kinase C is necessary but not sufficient for the enhanced durability. In combination with a neural signal, however, PKC demonstrates a profound synergism. Synergism is also observed in the analysis of metal ion regulation of protein kinase C activity. Calcium and zinc interact in their effect on the enzyme in a bidirectional manner (see below).



## 3. Statement of Work

The research objectives during this period were to:

- a. Study effects of protein kinase C inhibitors
- b. Study activators of PKC in the synaptic zone
- c. Study metal ion regulation of PKC

## 4. Status of Research

Significant accomplishments made during this period were:

- a. Effect of inhibitors

We used three separate inhibitors of protein kinase C activity,

SEARCHED	INDEXED
SERIALIZED	FILED
AUG 1987	
FBI - NEW YORK	
A-1	

polymyxin B, mellitin and H-7, each with a different mechanism of action. Application was made by micro-pressure ejection into the molecular layer of the dentate gyrus before or after LTP. The major result of this study was that inhibitors had no effect on the initiation of LTP but completely eliminated the enhanced response 10-15 min after its initiation. This provides strong support for our view that PKC plays a critical role in the maintenance but not the initiation of LTP.

b. Study of PKC activators (PDBu and oleate)

A crucial question in the analysis of the role of PKC in synaptic reactivity is the site of action of the compound. Indirect evidence suggested a synaptic site since PKC is found in high concentration there. To assess this view directly we compared application dosages required to facilitate synaptic reactivity duration in the dentate hilus, a nearby site, and the molecular layer of the dentate, 100 micra from the granule cells, precisely the point where perforant path terminals synapse. We have found that only 10-16% of the dosage is required when the application, iontophoretic or micro-pressure, is made at the synaptic zone. This provides strong support for the synaptic site of action of these protein kinase C activators.

c. Metal ion regulation of protein kinase C activity

Recent evidence describing the primary structure of protein kinase C by several laboratories indicates several different motifs: ATP-binding, Ca-binding, kinase domain, zinc "fingers". This suggested the possibility that both zinc as well as calcium might regulate protein kinase C activity.

Since we have recently discovered that protein kinase C can be activated in the absence of calcium it was now feasible to study the effects of zinc both in the presence and the absence of calcium. A novel mechanism for regulating protein kinase C activity was discovered in which zinc ions, found in highest concentration in the hippocampus, enhance protein kinase C activity at low calcium levels. At higher levels of calcium, zinc inhibits. We propose a model of protein kinase C with a low and high calcium affinity binding sites and a distinct zinc binding site.

5. Articles published, accepted for publication and submitted.

Routtenberg, A., Colley, P., Linden, D., Lovinger, D., and Murakami, K.

Phorbol ester promotes growth of synaptic plasticity. Brain Research, 1986, 378, 374-378.

Linden, D., Murakami, K., and Routtenberg, A. A newly discovered protein kinase C activator (oleic acid) preserves synaptic plasticity and promotes the growth of long-term potentiation. Brain Research, 1986, 379, 358-363.

Gispen, W.H. and Routtenberg, A. (Eds.). Phosphoproteins in the Nervous System. Elsevier/North Holland, Amsterdam, 1986, pg. 211-234.

Lovinger, D., Akers, R., Colley, P., Linden, D., and Routtenberg, A.

Direct relation of synaptic plasticity to phosphorylation of membrane protein F1: Potential association with protein kinase C translocation. Brain Research, 1986, 399, 205-211.

Routtenberg, A. A new theory of Alzheimer's disease. Arts and Sciences, Northwestern University, 1986, 9, 2-6.

- Chan, S.Y., Murakami, K., and Routtenberg, A. Phosphoprotein F1:  
Purification and characterization of a brain kinase C substrate related  
to plasticity. J. Neuroscience, 1986, 6, 3618-3627.
- Murakami, K., Chan, S.Y., and Routtenberg, A. Protein kinase C activation  
by cis-fatty acid in the absence of  $Ca^{2+}$  and phospholipids. J. biol.  
Chem., 1986, 261, 15424-15429.
- Collier, T.J., Quirk, G.S., and Routtenberg, A. Separable roles of  
hippocampal granule cells in forgetting and pyramidal cells in  
remembering spatial information. Brain Research, 1987, in press.
- Lovinger, D.M. and Routtenberg, A. Protein F1 and protein kinase C may  
regulate the persistence of synaptic potentiation in the hippocampus.  
In: Ehrlich, Y.H., Berry, W., and Lennox, R. (Eds.). Molecular  
Mechanisms of Neuronal Responsitivity. To appear in: Advances in  
Experimental Biology and Medicine, New York: Plenum, 1987, in press.
- Ruth, R.E., Collier, T.J., and Routtenberg, A. Topography between the  
entorhinal cortex and the dentate septotemporal axis in rats:  
II. Lateral entorhinal projecting cells. J. comp. Neurol., 1987, in  
press.
- Routtenberg, A. (1987) Phospholipid and fatty acid regulation of signal  
transduction at synapses: Potential role for protein kinase C in  
information storage. To appear in: R.J. Wurtman (Ed.). "Alzheimer's  
Disease: Advances in Basic Research and Therapies". pp. 1-10.
- Nelson, R.B., Friedman, D.P., O'Neill, J.B., Mishkin, M., and Routtenberg,  
A. Gradients of PKC substrate phosphorylation along the primate visual

cortical processing pathway: Highest levels are in visual memory areas.

Brain Research, 1987, in press.

Akers, R.F. and Routtenberg, A. Calcium-promoted translocation of protein kinase C to synaptic membranes: relation to the phosphorylation of an endogenous substrate (Protein F1) involved in synaptic plasticity. J. Neurosci., 1987, in press.

Snipes, G.J., Chan, S., McGuire, C.B., Costello, B.R., Routtenberg, A., Norden, J.J., and Freeman, J.A. Evidence that GAP-43, a growth-related protein, and F1, a synaptic plasticity-associated protein, are identical. J. Neurosci., 1987, in press.

Linden, D., Shew, F.-S., Murakami, K., and Routtenberg, A. Cis fatty acid regulation of synaptic potentiation: Relation to phospholipase A2 and protein kinase C activation. J. Neurosci., 1987, in press.

Murakami, K., Whiteley, M.K., and Routtenberg, A. Regulation of protein kinase C activity by cooperative interaction of  $Zn^{2+}$  and  $Ca^{2+}$ . J. Biol. Chem., 1987, in press.

Benowitz, L.I. and Routtenberg, A. A membrane phosphoprotein associated with neural development, axonal regeneration, phospholipid metabolism, and synaptic plasticity. Submitted.

Lovinger, D.M. and Routtenberg, A. Synapse specific protein kinase C activation enhances maintenance of long-term potentiation in rat hippocampus. Submitted.

Nelson, R.B., Linden, D.J., and Routtenberg, A. Two protein kinase C substrates and two vesicle-associated phosphoproteins are directly



correlated with persistence of long-term potentiation: A quantitative analysis of two-dimensional gels. Submitted.

Nelson, R.B., Hyman, C., Pfenninger, K.H., and Routtenberg, A. Two protein kinase C substrates directly correlated with persistence of long-term potentiation in adult rat brain are the major phosphoproteins found in nerve growth cones. Submitted.

Chan, S.Y., Nelson, R.B., Murakami, K., and Routtenberg, A. Protein kinase C substrate (F1) phosphorylation: Phospholipid-independent,  $Ca^{2+}$ -enhanced CIS-fatty acid activation. Submitted.

Barnes, C.A., Mizumori, S.J.Y., Lovinger, D.M., Sheu, F.-S., Murakami, K., Chan, S.Y., Linden, D.J., Nelson, R.B., and Routtenberg, A. Selective decline in protein F1 phosphorylation in hippocampus of senescent rats. Submitted.

Nelson, R.B. and Routtenberg, A. Contrasting roles of a brain specific protein kinase C substrate: Has protein F1 evolved a new function in CNS of higher vertebrates? In: Proceedings of the IUPS Satellite Symposium on Cellular Mechanisms of Conditioning & Behavioral Plasticity (C. Woody, Ed.), Seattle, WA. July 9-12, 1986. In press.

Rosenthal, A., Chan, S.Y., Henzel, W., Haskell, C., Kuang, W.-J., Chen, E., Wilcox, J.N., Ullrich, A., Goeddel, D.V., and Routtenberg, A. Primary structure and mRNA localization of protein F1, a growth-related protein kinase C substrate, associated with synaptic plasticity. Submitted.

Nelson, R. and Routtenberg, A. The protein F1/protein kinase C module and neurite growth: Potential utility in facilitating brain

transplantation. In: Progress in Brain Research (J. Slarek and D. Gash, Eds.), Vol. 82, 1988, in press.

#### 6. Personnel

<u>Name</u>	<u>Title</u>	<u>Dates of Service</u>	<u>% Effort</u>
A. Routtenberg	Professor/PI	9/83-present	25%
S. Chan	Res. Neurobiologist	2/84-present	25%
K. Murakami	Res. Neurobiologist	4/84-present**	25%
P. Colley	Grad. Res. Asst.	7/83-present	50%
D. Linden	Grad. Res. Asst.	9/84-present	50%
D. Lovinger	Grad. Res. Asst.	7/83-present*	50%
R. Nelson	Grad. Res. Asst.	7/83-present*	50%
F. Sheu	Grad. Res. Asst.	9/85-present	50%
K. Wong	Grad. Res. Asst.	4/86-present	50%

\* - Ph.D. awarded 6/87

\*\* - Assistant Professor, University of Buffalo, September, 1987.

#### 7. Coupling Activities

Colley, P. and Routtenberg, A. Hypothesis: Protein kinase C activation acts synergistically with a calcium-mediated event to induce long-lasting synaptic changes in the hippocampus. Soc. Neurosci., 1986, 12, 1168.

Lovinger, D., Barnes, C.A., Mizumori, S.J.Y., Chan, S.Y., Linden, D., Murakami, K., Sheu, F.-S., and Routtenberg, A. Protein F1, previously related to synaptic plasticity, exhibits decreased phosphorylation in

- senescent rat hippocampus. Soc. Neurosci. 1986, 12, 1168.
- Nelson, R.B., Friedman, D.P., Mishkin, M., and Routtenberg, A. Protein kinase C substrate phosphorylation in primate cerebral cortex (E.G. Protein F1) is increased in those stages of the occipitotemporal visual processing pathway important for information storage. Soc. Neurosci., 1986, 12, 1168.
- Chan, S.Y., Murakami, K.I., and Routtenberg, A. Characterization of purified protein F1, a specific protein kinase C substrate related to synaptic plasticity. Soc. Neurosci., 1986, 12, 1168.
- Linden, D.J., Murakami, K., and Routtenberg, A. Oleic acid, a protein kinase C activator, enhances hippocampal long-term potentiation. Soc. Neurosci., 1986, 12, 1169.
- Murakami, K., Chan, S.Y., and Routtenberg, A. Protein kinase C (PKC) activation by cis-fatty acid is distinct from previously described phospholipid and Ca<sup>2+</sup> activation. Soc. Neurosci., 1986, 12, 1169.
- Snipes, G.J., Freeman, J.A., Costello, B., Chan, S., and Routtenberg, A. A growth associated protein, GAP-43, is immunoologically and structurally related to the plasticity associated protein, protein F1. Soc. Neurosci., 1986, 422.
- Routtenberg, A. Phospholipid and fatty acid regulation of signal transduction at synapses: Potential role for protein kinase C in information storage. Invited Lecture: Fourth meeting of the International Study Group on The Pharmacology of Memory Disorders Associated with Aging. Hotel Zurich, Zurich, Switzerland, January

16-18, 1987.

Colley, P. and Routtenberg, A. Induction, enhancement and blockade of hippocampal synaptic potentiation: Dose-dependent effects of phorbol 12,13-dibutyrate (PDBu). Soc. Neurosci., 1986, 13, in press.

Lovinger, D., Wong, K., Murakami, K., and Routtenberg, A. Protein kinase C (PKC) inhibitors prevent maintenance of hippocampal long-term potentiation (LTP). Soc. Neurosci., 1986, 13, in press.

END

FEB.

1988

DTic